

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Carbon Black Powders
Synonyms	Conductive carbon black nanopowder, Graphitized carbon black
Chemical Name	Carbon
Chemical Formula	С
CAS No.	1333-86-4
EC No.	215-609-9
Index No.	Not available.
REACH Registration No.	Not applicable.
1.2 Relevant identified uses of the sub	ostance or mixture and uses advised against
Identified Use(s)	PC21 Laboratory chemicals, Research and development use only

1.3 Details of the supplier of the safety data sheet			
Company Identification	Ossila Limited		
Address of Supplier	Solpro Business Park		
	Windsor Street		
	Sheffield		
Postal code	S4 7WB, UK		
Telephone:	+441142999180		
E-mail	info@ossila.com		
Office hours	08:00 - 17:00		
1.4 Emergency telephone number			
Emergency Phone #	+44 (0) 20 3885 0382 (CHEMTREC)		

Other Regions	Emergency Phone Number (CHEMTREC)
Europe, Middle East, Africa	+44 20 3885 0382
North America	+1 703 527 3887
Central America	+52 55 8526 4930
South America	+55 11 4349 1359
Asia, India, and Oceania	+65 3163 8374

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

The product does not need to be labelled in accordance with EC directives or respective national laws.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

2.4 Additional Information

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

No components need to be disclosed according to the applicable regulations. 3.2 Mixtures

Not applicable.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures				
General Advice	First aiders should ensure they have taken adequate steps to protect themselves			
	from exposure (see Section 8 for recommended personal protection equipment)			
	Show this safety data sheet to the doctor in attendance.			
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.			
Skin Contact	Rinse skin with water. If skin irritation occurs, get medical advice/attention.			
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Ingestion	Rinse out mouth with water. Get medical advice/attention if you feel unwell.			
4.2 Most important symptoms and effects, both acute and delayed				
	Most important symptoms and effects, both acute and delayed, are included on			
	labelling (Section 2.2) and in Section 11.			
4.3 Indication of any immediate medical attention and special treatment needed				

Treat symptomatically.



SECTION 5: FIREFIGHTING MEASURES				
5.1 Extinguishing media				
Suitable Extinguishing media	As appropriate for surrounding fire.			
Unsuitable extinguishing media	As appropriate for surrounding fire.			
5.2 Special hazards arising from the	he substance or mixture			
	Carbon oxides			
5.3 Advice for firefighters				
5	Fire fighters should wear complete protective clothing including self-contained			
	breathing apparatus.			
SECTION 6: ACCIDENTAL RELEAS	E MEASURES			
6.1 Personal precautions, protectiv	ve equipment and emergency procedures			
	Follow safe handling advice and personal protective equipment recommendations			
	(as per section 8). Provide adequate ventilation.			
6.2 Environmental precautions				
•	Avoid release to the environment.			
6.3 Methods and material for conta	ainment and cleaning up			
	Sweep up spilled substance but avoid making dust. Use vacuum equipment for			
	collecting spilt materials, where practicable. Dispose of contents in accordance with			
	local, state or national legislation.			
6.4 Reference to other sections				
	See Also Section 8, 13.			
SECTION 7: HANDLING AND STOR	AGE			
7.1 Precautions for safe handling				
Advice on safe handling	Avoid inhalation, ingestion, and contact with skin and eyes. Use only in a well-			
5	ventilated area. Wear protective clothing as per section 8.			
Hygiene measures	Keep away from food and drink. Wash hands after handling, before breaks, and at			
. If gione measures	the end of workday.			
7.2 Conditions for safe storage, in				
	Store in a well-ventilated place. Keep container tightly closed.			
Storage temperature	Ambient.			
Storage life	Stable under normal conditions.			
Incompatible materials	None known.			
7.3 Specific end use(s)				
1.5 Specific end use(s)	Apart from the uses mentioned in section 1.2 ps other encoding uses are stimulated			

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

UK – EH40 Workplace Exposure Limits (WEL).

SUBSTANCE. CAS No. LTEL (8 hr TWA ppm) LTEL (8 hr TWA mg/m ³) STEL (ppm) STEL (mg/m ³) Note Carbon black 1333-86-4 3.5 7 Region Source EU EU Occupational Exposure Limits United Kingdom UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018) 7 8.2.1. Appropriate engineering controls Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present. 8.2.2. Personal protection equipment Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU). Hand protection Handle with gloves. Gloves must be inspected prior to use and proper glove remova techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. Thermal hazards None known. Avoid release to the environment.							
TWA ppm)TWA mg/m³)Carbon black1333-86-4Region EUSource EU Occupational Exposure LimitsUnited KingdomUK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)8.2 Exposure controls8.2.1. Appropriate engineering controls8.2.2. Personal protection equipment Eye ProtectionEye ProtectionHand protectionBody protectionBody protectionBody protectionRespiratory protectionRespiratory protectionThermal hazardsNone known.	Occupational Exposure Limits	240 N					NL-1-
Carbon black1333-86-43.57Region EUSource EU Occupational Exposure LimitsSource EU Occupational Exposure Limits7United Kingdom United KingdomUK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)78.2 Exposure controls 8.2.1. Appropriate engineering controlsEnsure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present.8.2.2. Personal protection equipment Eye ProtectionWear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU).Hand protectionHandle with gloves. Gloves must be inspected prior to use and proper glove remova techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.	SUBSTANCE.	JAS NO.	`	· · · · · · · · · · · · · · · · · · ·	STEL (ppm)	STEL (mg/m ³)	Note
Region Source EU EU Occupational Exposure Limits United Kingdom UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018) 8.2 Exposure controls Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present. 8.2.2. Personal protection equipment Eye Protection Eye Protection Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU). Hand protection Handle with gloves. Gloves must be inspected prior to use and proper glove removatechniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. Thermal hazards None known.			TWA ppm)	U /			
EUEU Occupational Exposure LimitsUnited KingdomUK Workplace Exposure Limits EH40/2005 (Third edition, published 2018)8.2 Exposure controlsEnsure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present.8.2.2. Personal protection equipmentEye ProtectionEye ProtectionWear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU).Hand protectionHandle with gloves. Gloves must be inspected prior to use and proper glove remova techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.	Carbon black 1	1333-86-4		3.5		7	
United Kingdom UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018) 8.2 Exposure controls Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present. 8.2.1. Appropriate engineering controls Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and skin cleaning purposes should be present. 8.2.2. Personal protection equipment Eye Protection Eye Protection Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU). Hand protection Handle with gloves. Gloves must be inspected prior to use and proper glove removat techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. Thermal hazards None known.							
 8.2 Exposure controls 8.2.1. Appropriate engineering controls 8.2.1. Appropriate engineering controls 8.2.2. Personal protection equipment Eye Protection Hand protection Hand protection Body protection Body protection Respiratory protection Thermal hazards 			ad a ditiana ang kilaka di C	040)			
 8.2.1. Appropriate engineering controls 8.2.2. Personal protection equipment Eye Protection Hand protection Body protection Body protection Respiratory protection Wear eye protection in relation tested and approved under appropriate government standards such as EN166 (EU). Handle with gloves. Gloves must be inspected prior to use and proper glove removate techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. 		ure Limits EH40/2005 (Thi	ra edition, published 2	.018)			
 skin cleaning purposes should be present. 8.2.2. Personal protection equipment Eye Protection Hand protection Hand protection Body protection Respiratory protection Thermal hazards skin cleaning purposes should be present. skin cleaning purposes should be present. Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU). Handle with gloves. Gloves must be inspected prior to use and proper glove removate techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. 	•						ام در م
 8.2.2. Personal protection equipment Eye Protection Hand protection Wear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU). Handle with gloves. Gloves must be inspected prior to use and proper glove removatechniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. None known. 	8.2.1. Appropriate engineering c				st. A washing fac	sility/water for eye	and
Eye ProtectionWear eye protection with side protection tested and approved under appropriate government standards such as EN166 (EU).Hand protectionHandle with gloves. Gloves must be inspected prior to use and proper glove remova techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.			ning purposes sr	iouia be present.			
Hand protectiongovernment standards such as EN166 (EU).Hand protectionHandle with gloves. Gloves must be inspected prior to use and proper glove removal techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.							
Hand protectionHandle with gloves. Gloves must be inspected prior to use and proper glove removal techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.	Eye Protection					ed under approp	riate
best bodytechniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.							
Body protectionspecifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.	Hand protection	Handle w	ith gloves. Glove	es must be inspec	cted prior to use	and proper glove	remova
Body protectionChoose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.	techniques should be used. The selected protective gloves have to satisfy		ne				
dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.					d from it		
dangerous substances, and to the specific work-place.Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.							
Respiratory protectionWhere risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls.Thermal hazardsNone known.							
face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. Thermal hazards None known.			appropriate use a	a full-			
backup to engineering controls. Thermal hazards None known.							
Thermal hazards None known.							, uo u
	Thermal bazards						
0.2.3. Environmental Exposure Controls Avoid release to the environment.				onmont			
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES							

0.4. Information, and a signification of the mission of the

9.1 Information on basic physical and chemical properties Physical State Solid: Powder.

 Physical State
 Solid: Power

 Colour
 Black.

 Odour
 Not known.



Odour threshold	Not known.
Melting point/freezing point	3550 °C
Initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature (°C)	Not known.
Decomposition temperature (°C)	Not known.
pH	Not known.
Kinematic viscosity	Not known.
Solubility(ies)	Solubility (Water): Not known.
	Solubility (Other): Not known.
Partition coefficient: n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density	Not known.
Relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	
	None.
SECTION 10: STABILITY AND REACTIV	ITY
10.1 Reactivity	
·····,	None anticipated.
10.2 Chemical Stability	
· · · · · · · · · · · · · · · · · · ·	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	
•	Not known.
10.4 Conditions to avoid	
	Not known.
10.5 Incompatible materials	
	Not known.
10.6 Hazardous decomposition produc	
	La tha available formance Operations F

In the event of fire: see Section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	No data available
Acute toxicity - Skin Contact	No data available
Acute toxicity - Inhalation	No data available
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Skin sensitization data	No data available
Respiratory sensitization data	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Lactation	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available
11.2 Information on other hazards	
11.2.1 Endocrine disrupting properties	
	None known.
11.2.2. Information on other hazards	

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxicity - Aquatic invertebrates Toxicity - Fish Toxicity - Algae Toxicity - Sediment Compartment Toxicity - Terrestrial Compartment 12.2 Persistence and Degradation	No data available No data available No data available No data available No data available No data available	
5	No data available	
12.3 Bioaccumulative potential 12.4 Mobility in soil	No data available	
	No data available	



12.5 Results of PBT and vPvB assessment		
	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative	
12.6 Endoaring discusting properties	(vPvB) at levels of 0.1% or higher.	
12.6 Endocrine disrupting properties	Not known.	
12.7 Other adverse effects	Nethersen	
	Not known.	
SECTION 13: DISPOSAL CONSIDERAT	IONS	
13.1 Waste treatment methods		
	Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Normal disposal is via incineration operated by	
	an accredited disposal contractor. Send to a licensed recycler, reclaimer or	
13.2 Additional Information	incinerator.	
	Disposal should be in accordance with local, state or national legislation.	
SECTION 14: TRANSPORT INFORMATI	ON	
IATA/IMO/RID/ADR	Not classified as hazardous for transport.	
SECTION 15: REGULATORY INFORMA	TION	
15.1 Safety, health and environmental	regulations/legislation specific for the substance or mixture	
European Regulations - Authorisations a Candidate List of Substances of Very	and/or Restrictions On Use Not listed	
High Concern for Authorisation	NOT listed	
REACH: ANNEX XIV list of substances	Not listed	
subject to authorisation REACH: Annex XVII Restrictions on the	Not listed	
manufacture, placing on the market and		
use of certain dangerous substances, mixtures and articles		
Community Rolling Action Plan (CoRAP)		
Regulation (EC) N° 850/2004 of the European Parliament and of the Council	Not listed	
on persistent organic pollutants		
Regulation (EC) N° 1005/2009 on	Not listed	
substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the	Not listed	
European Parliament and of the Council		
concerning the export and import of hazardous chemicals		
National regulations		
Other	Not known.	
15.2 Chemical Safety Assessment	A REACH chemical safety assessment has not been carried out.	
SECTION 16: OTHER INFORMATION		

The following sections contain revisions or new statements:

LEGEND

Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container
	IATA : International Air Transport Association
	ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration



REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity UN : United Nations vPvB : very Persistent and very Bioaccumulative

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Ossila Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Ossila Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Disclaimers