Revision Date: 20/06/2023 Revision #: 1

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Tungsten diselenide monolayer film on sapphire Synonyms Tungsten (IV) selenide, Tungsten selenide

Tungsten diselenide Chemical Name

Chemical Formula WSe2 12067-46-8 CAS No. EC No. 235-078-7 Index No. 034-002-00-8 REACH Registration No. Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC21 Laboratory chemicals, Research and development use only

1.3 Details of the supplier of the safety data sheet

Company Identification Ossila Limited Address of Supplier Solpro Business Park

Windsor Street Sheffield S4 7WB, UK

Postal code Telephone: +441142999180 E-mail info@ossila.com Office hours 08:00 - 17:00

1.4 Emergency telephone number

Emergency Phone # +44 (0) 20 3885 0382 (CHEMTREC)

Other Regions	Emergency Phone Number (CHEMTREC)				
Europe, Middle East, Africa	+44 20 3885 0382				
North America	+1 703 527 3887				
Central America	+52 55 8526 4930				
South America	+55 11 4349 1359				
Asia, India, and Oceania	+65 3163 8374				

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute Tox. 3: Toxic if swallowed. Acute Tox. 3: Toxic if inhaled Regulation (EC) No. 1272/2008 (CLP)

STOT RE 2: May cause damage to organs through prolonged or repeated exposure

Aquatic Acute 1: Very toxic to aquatic life

Aquatic Chronic 1: Very toxic to aquatic life with long lasting effects

2.2 Label elements

Product Name

According to Regulation (EC) No. 1272/2008 (CLP) Tungsten diselenide monolayer film on sapphire

Hazard Pictogram(s)



Signal Word(s) Danger

Hazard Statement(s) H301+H331: Toxic if swallowed or if inhaled

H373: May cause damage to organs through prolonged or repeated exposure

H400: Very toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. Precautionary Statement(s)

P273: Avoid release to the environment.

P301 + P310 + P330: IF SWALLOWED: Immediately call a POISON CENTER/

doctor. Rinse mouth.

P304 + P340 + P311: IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER/ doctor. P314: Get medical advice/attention if you feel unwell.

www.ossila.com Page: 1 - 6

Ossila

Revision Date: 20/06/2023 Revision #: 1

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

2.4 Additional Information

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	CAS No.	EC No.	%W/W	Hazard Statement(s)
Tungsten diselenide	12067-46-8	235-078-7	<0.1	Acute Tox. 3 H301 Acute Tox. 3 H331
				STOT RE 2 H373 Aquatic Acute 1 H400
				Aquatic Chronic 1 H410

3.2 Mixtures

Inhalation

Not applicable.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice First aiders should ensure they have taken adequate steps to protect themselves

from exposure (see Section 8 for recommended personal protection equipment)

Show this safety data sheet to the doctor in attendance.

Remove person to fresh air and keep comfortable for breathing. If not breathing give

artificial respiration. Call a POISON CENTER or doctor/physician.

Skin Contact Rinse skin with water. If skin irritation occurs, get medical advice/attention.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Ingestion Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed, are included on

labelling (Section 2.2) and in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire. Unsuitable extinguishing media As appropriate for surrounding fire.

5.2 Special hazards arising from the substance or mixture

Tungsten oxides

Selenium/selenium oxides

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Follow safe handling advice and personal protective equipment recommendations

(as per section 8). Provide adequate ventilation.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Sweep up spilled substance - avoid making dust. Use vacuum equipment for collecting spilt materials, where practicable. Dispose of contents in accordance with

local, state or national legislation.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid inhalation, ingestion, and contact with skin and eyes. Use only in a well-

ventilated area. Wear protective clothing as per section 8.

Hygiene measures Keep away from food and drink. Wash hands after handling, before breaks, and at

the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage temperature Ambient.

Storage life Stable under normal conditions.

www.ossila.com Page: 2 - 6

Revision Date: 20/06/2023

Revision #: 1

Incompatible materials None known.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

UK - EH40 Workplace Exposure Limits (WEL).

Occupational Exposure Limits									
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL (ppm)	STEL (mg/m³)	Note			
		ppm)	mg/m³)	,	, ,				
Selenium and compounds,	12067-46-8		0.1						
except hydrogen selenide (as									
Se)									

Region EU EU Occupational Exposure Limits

UK Workplace Exposure Limits EH40/2005 (Third edition, published 2018) United Kinadom

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation and/or exhaust. A washing facility/water for eye and

skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection

Body protection

Wear eye protection with side protection tested and approved under appropriate

government standards such as EN166 (EU).

Handle with gloves. Gloves must be inspected prior to use and proper glove removal Hand protection

techniques should be used. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Choose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place.

Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-

face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a

backup to engineering controls.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State Film Colour Transparent. Odour Not known. Odour threshold Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flammability Not known. Lower and upper explosion limit Not known. Flash Point Not known. Auto-ignition temperature (°C) Not known. Decomposition temperature (°C) Not known. рΗ Not known. Kinematic viscosity Not known.

Solubility(ies) Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water (log Not known.

Vapour pressure Not known. Density Not known. Relative density Not known. Relative vapour density Not known. Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Not known.

www.ossila.com Page: 3 - 6

Ossila

Revision Date: 20/06/2023 Revision #: 1

10.4 Conditions to avoid

Not known.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the event of fire: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Toxic if swallowed. Classified according to Regulation (EU) 1272/2008, Annex VI

(Table 3.1/3.2). No data available.

Acute toxicity - Skin Contact No Acute toxicity - Inhalation To

Toxic if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2).

Skin corrosion/irritation No data available. Serious eye damage/irritation No data available. Skin sensitization data No data available. Respiratory sensitization data No data available. Germ cell mutagenicity No data available. Carcinogenicity No data available. Reproductive toxicity No data available. Lactation No data available. STOT - single exposure No data available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Classified

according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).

Aspiration hazard No data available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

None known.

11.2.2. Information on other hazards

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Classified

according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2).

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not known.

Toxicity - Terrestrial Compartment Not known.

12.2 Persistence and Degradation

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Not known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or

incinerator.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

www.ossila.com Page: 4 - 6



Revision Date: 20/06/2023 Revision #: 1

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 3283

14.2 UN proper shipping name

UN proper shipping name Selenium compound, solid, n.o.s. (Molybdenum diselenide)

14.3 Transport hazard class(es)

ADR/RID 6.1
IMDG 6.1
IATA 6.1

14.4 Packing group

Packing group

14.5 Environmental hazards

Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

Not known.

Ш

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

High Concern for Authorisation

Not listed

REACH: ANNEX XIV list of substances

Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the Not listed

manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan (CoRAP) Not listed Regulation (EC) N° 850/2004 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the

Not listed

European Parliament and of the Council concerning the export and import of

hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Acronyms ADN: European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous

Goods by Road

CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures DNEL: Derived No Effect Level EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

www.ossila.com Page: 5 - 6

Ossila

Revision Date: 20/06/2023 Revision #: 1

UN: United Nations

vPvB : very Persistent and very Bioaccumulative

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Ossila Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Ossila Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

www.ossila.com Page: 6 - 6